according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

SDS AWSP5002 8 SHIELDIT INNOVATIONS

Windshield Treatment 16ml

Substance / mixture mixture

Other mixture names

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Easy-clean coating for glass and glazed ceramic.

Mixture uses advised against

No information.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name Shieldit Innovations LLC Address 16192 Coastal Highway

LEWES, Delaware 19958

United States

Phone +1 (540) 480-0505 E-mail support@shielditinnovations.com

Competent person responsible for the safety data sheet

Shieldit Innovations Name

F-mail support@shielditinnovations.com

1.4. **Emergency telephone number**

Emergency Telephone of Company/Undertaking +1 (540) 480-0505 (08:00am - 4:00pm)

Counselling centre for poisoning +1 (800) 222-1222 (American Association for Poison Controls Centres)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Highly flammable liquid and vapour.

Eye Irrit. 2; H319 Causes serious eye irritation.

2.2. **Label elements**

Labelling according to Regulation (EC) No 1272/2008 **Hazard pictograms**







Signal word

DANGER.

Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, open flames and other ignition sources. No

smoking.

P240 Gound and bong container and receiving equipment.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national regulation.

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

2.3. Other hazards

PBT/vPvB

No information.

Endocrine disrupting properties

No information.

Additional information

No information.

SECTION 3: Composition/information on ingredients

Substances

For mixtures see 3.2.

3.2. Mixtures:

CAS EC Index Reach	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	Notes
64-17-5 200-578-6 603-002-00-5 01-2119457610-43	ethanol	>94	Flam. Liq. 2; H225 Eye Irrit. 2; H319		/
78-93-3 201-159-0 606-002-00-3 01-2119457290-43	butanone	<5	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	/	/
78-10-4 201-083-8 014-005-00-0	tetraethyl silicate	<4	Flam. Liq 3; H226 Eye Irrit. 2; H319 Acute Tox. 4; H332 STOT SE 3; H335	/	/
7664-93-9 231-639-5 016-020-00-8 01-2119458838-20	sulfuric acid	<0,1	Met. Corr. 1; H290 Skin Corr. 1A; H314	Skin Corr. 1A; H314; C≥15% Skin Irrit. 2; H315; 5% ≤ C < 15% Eye Irrit. 2; H319; 5% ≤ C < 15%	/

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

Description of first aid measures 4.1.

General Information:

When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician. Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency.

After inhalation:

Remove patient to fresh air - move out of dangerous area. If symptoms develop and persist, seek medical attention.

After skin contact:

Take off all contaminated clothing. Wash affected skin areas immediately with plenty of water and soap. If symptoms develop and persist, seek medical attention.

If the patient is wearing contact lenses, remove them immediately. Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

If swallowed

Do not induce vomiting! In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

4.2. Most important symptoms and effects, both acute and delayed

Following inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation

Following skin contact

Contact with skin may cause irritation (redness, itching).

Following eye contact

Redness, tearing, pain.

Following ingestion

May cause abdominal discomfort. May cause nausea/vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

In case of a fire toxic gases can be generated; do not inhale gases/smoke. In the event of fire the following can be generated: carbon monoxide (CO), carbon dioxide (CO2).

Sulphur oxides (SOX).

5.3. Advice for firefighters

Protection during firefighting:

Prolonged heating can cause an explosion. Vapours can form explosive mixtures with air. In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray. If possible remove containers from endangered area. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated firefighting water and fire residues must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Precautionary measures

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

Emergency procedures

Prevent access to unprotected personnel. No action shall be taken involving any personal risk or without suitable training. Evacuate the danger zone. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protective equipment.

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. In case of release into the environment, inform the relevant authorities.

6.3. Methods and material for containment and cleaning up

For containment

Stem the spill if this does not pose risks.

For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Use spark-proof tools. Ventilate the premises. Use only explosion-proof instruments and equipment. Prevent release into the sewer, water, basements or confined areas.

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

Other information

No information.

6.4. Reference to other sections

See section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

Protective measures

Measures to prevent fire

Ensure adequate ventilation. Take precautionary measures against static discharges. Keep away from sources of ignition - no smoking. Use spark-proof tools. Vapours are heavier than air and spread along the floor. They form explosive mixtures with air.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

Other measures

No information.

Advice on general occupation hygiene

Do not eat, drink or smoke while working. Do not breathe vapours/mist. Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in accordance with local regulations. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising substances. Keep away from sources of ignition - no smoking. Keep in a cool, dry and well ventilated place.

Packaging materials

Store only in the original container.

Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

Storage class.

No information.

Further information on storage conditions

No information.

7.3. Specific end use(s)

Recommendations

No information

Industrial sector specific solutions

No information

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure limit values

Name	mg/m³	ml/m³		Short-term value ml/m³		Biological Tolerance Values
Butan-2-one (methyl ethyl Ketone) (78-93-3)	600	200	899	300	ON, DITO	70 µmol butan-2- one/L in urine - Post shift 70 µmol butan-2- one/L in urine - Post shift
Ethanol (64-17-5)	1920	1000	/	/	/	/
Sulphuric acid (mist) (7664-93-9)	0.05	/	/	/	The mist is defined as thoracic fraction	/

Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

DNEL/DMEL values

For product

No information.

For components

No information.

PNEC values

For product

No information.

For components

No information.

8.2. Exposure controls

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Do not breathe vapours/aerosols. Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and was them before reuse.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

Personal protective equipment

Eye and face protection

Safety glass with side protection (BS EN ISO 1631-1:2022)

Hand protection

Protective gloves (BS EN ISO 374). The penetration time is determined by the protective glove manufacturer and must be observed. Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Appropriate materials

Skin protection

Cotton protective clothing and shoes that cover the entire foot (BS EN ISO 20345:2022).

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (BS EN 136) with filter A2-P2 (BS EN 14387).

Thermal hazards

No information.

Environmental exposure controls

Substance/mixture related measures to prevent exposure

No information

Instruction measures to prevent exposure

No information

Organisational measures to prevent exposure

No information

Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or groundwater.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Information:

Form Liquid
Colour Colourless
Odour Characteristic
Odour threshold No information.

pH-value

Change in condition:

Melting point

Freezing point

Initial boiling point and boiling range
Flash point

Auto-ignition temperature

Decomposition temperature

No information.

Value 14°C

No information.

No information.

No information.

Decomposition temperature Explosion limits:

Lower No information.
Upper No information.
Vapour pressure No information.
Viscosity No information.
Solubility No information.
Partition coefficient No information.
Vapour pressure No information.

Density and/or relative density Relative density: 0.794 g/cm³

Relative vapour density No information. Particle characteristics No information.

9.2. Other information

Explosive properties No information.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended transport or storage conditions.

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

Vapours and air can form flammable or explosive mixtures.

10.4. Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

10.5. Incompatible materials

Oxidants.

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

SECTION 11: Toxicological information

11.1. Information on toxicological effects

(a) Acute toxicity

For components

Name	Exposure route	Туре	Species	Time	Value	Method	Remark
butanone	oral	LD ₅₀	rat	/	> 2193 mg/kg	OECD 423	/
butanone	inhalation	LC ₅₀	rat	4 h	34 mg/l	/	/
butanone	dermal	LD ₅₀	rabbit	/	> 5000 mg/kg	OECD 402	/

Additional information

(b) Skin corrosion/irritation

No information.

(c) Serious eye damage/irritation

No information.

Additional information

Causes serious eye irritation.

(d) Respiratory or skin sensitisation

No information.

Additional information

This product is not classified as sensitising

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT - single exposure

No information.

Additional information

STOT SE (single exposure): Not classified.

(i) STOT - repeated exposure

No information.

Additional information

STOT RE (repeated exposure): Not classified.

(j) Aspration hazard

No information.

Additional information

Aspiration hazard: Not classified

Symptoms related to the physical, chemical and toxicological characteristics

No information.

Interactive effects

No information.

11.2. Information on other hazards

Endocrine disrupting properties

No information.

Other information

No information.

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

SECTION 12: Ecological information

12.1. Toxicity

Acute (short-term) toxicity

No information.

Chronic (long-term) toxicity

No information.

12.2. Persistence and degradability

Abiotic degradation, physical- and photo-chemical elimination

No information.

Biodegradation

No information.

12.3. Bioaccumulative potential

Partition coefficient

No information.

Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

Known or predicted distribution to environmental compartments

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Endocrine disrupting properties

No information.

12.7. Other adverse effects

No information.

12.8. Additional information

For product

Product is not classified as dangerous for environment. Do not allow to reach ground water, water courses or sewage system. Water hazard class 1 (self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal

Waste chemical

Dispose of in accordance with applicable waste disposal regulation. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste. Do not allow product to reach drains/sewage systems.

Waste codes / waste designations according to LoW

No information.

Packaging

Dispose of in accordance with applicable waste disposal regulation. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents. Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers should not be perforated, cut or welded. Empty containers represent a fire hazard as they may contain flammable product residues and vapour.

Waste codes / waste designations according to LoW

No information.

Waste treatment-relevant information

No information.

Sewage disposal-relevant information

No information.

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

Other disposal recommendations

No information.

SECTION 14: Transport information

ADR/RII	D	IMDG	IATA	ADN				
14.1.	UN number or ID number This product is not covered by the rules according to ADR, as the special provision SV216 is applied. For air transport, this product is not subject to the rules according to IATA, as the special provision A46 is applied.							
UN 1170		UN 1170	UN 1170	UN 1170				
14.2.	14.2. UN proper shipping name							
ALCOHO	OL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)				
	Transport hazard			La				
3		3	3	3				
3		3	3	3				
14.4.	Packing group							
II		II	II	II				
14.5.	Environmental haz	zards	1					
NO		NO	NO	NO				
14.6.	Special precaution	s for user						
Special Packing IBC02, F Transpo	quantities 1 L provisions 144, 601 Instructions P001, R001 ort category 2 restriction code (D/E)	Limited quantities 1 L EmS F-E, S-D Flash point 14 °C	Limited Quantity, Packing Instructions (Ltd Qty, Pkg Inst) Y341 Limited Quantity, Maximum Net Quantity/Package (Ltd Qty, Max Net Qty/Pkg) 1 L Packing Instructions (Pkg Inst) 353 Maximum Net Quantity/Package (Max Net Qty/Pkg) 5 L Cargo Aircraft Only, Packing Instructions (CAO, Pkg Inst) 364 Cargo Aircraft Only, Maximum Net Quantity/Package (CAO, Max Net Qty/Pkg) 60 L Special provisions A3 Excepted quantities E2 ERG code 3L	Limited quantities 1 L				
14.7.	Maritime transpor	t in bulk according to IMO in	struments					
		Goods may not be carried in bulk in bulk containers, containers or vehicles.						

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date Version 17th March 2023 1.0 EN

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2020/878)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOCguideline)

not applicable

Regulation EC 648/2004 on detergents

No information.

Special instructions

Observe the regulations on employment and protection against dangerous substances for young people, pregnant women and nursing mothers.

Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Indication of changes

2.2 Label elements 8.2 Exposure controls

Key literature references and sources of data

No information.

Abbreviations and acronyms

ATE Acute Toxicity Estimate

ADR Agreement concerning the International Carriage of Dangerous Goods by Road European Agreement concerning the International Carriage of Dangerous Goods by ADN

Inland Waterways

CEN European Committee for Standardisation C&L - Classification and Labelling CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# Chemical Abstracts Service number

CMR Carcinogen, Mutagen, or Reproductive Toxicant

CSA Chemical Safety Assessment CSR Chemical Safety Report **DMEL** Derived Minimal Effect Level **DNEL** Derived No Effect Level

DPD Dangerous Preparations Directive 1999/45/EC DSD Dangerous Substances Directive 67/548/EEC

DU Downstream User FC **European Community ECHA European Chemicals Agency**

EC-Number EINECS and ELINCS Number (see also EINECS and ELINCS) European Economic Area (EU + Iceland, Liechtenstein and Norway) EEA

EEC **European Economic Community**

EINECS European Inventory of Existing Commercial Substances

ELINCS European List of notified Chemical Substances

ΕN European Standard

EOS **Environmental Quality Standard**

FU European Union

Euphrac European Phrase Catalogue

EWC European Waste Catalogue (replaced by LoW - see below)

GES Generic Exposure Scenario

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021

Revision date 17th March 2023 Version 1.0 EN

GHS Globally Harmonized System

IATA International Air Transport Association

ICAO-TI Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG International Maritime Dangerous Goods
IMSBC International Maritime Solid Bulk Cargoes

IT Information Technology

IUCLID International Uniform Chemical Information Database
IUPAC International Union for Pure Applied Chemistry

JRC Joint Research Centre

Kow Octanol-water partition coefficient

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

LE Legal Entity

LoW List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR Lead Registrant

M/I Manufacturer / Importer

MS Member States

MSDS Material Safety Data Sheet OC Operational Conditions

OECD Organization for Economic Co-operation and Development

OEL Occupational Exposure Limit

OJ Official Journal
OR Only Representative

OSHA European Agency for Safety and Health at work
PBT Persistent, Bioaccumulative and Toxic substance

PEC Predicted Effect Concentration

PNEC(s) Predicted No Effect Concentration(s)

PPE Personal Protection Equipment

(Q)SAR Qualitative Structure Activity Relationship

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No

1907/2006

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP REACH Implementation Project
RMM Risk Management Measure

SCBA Self-Contained Breathing Apparatus

SDS Safety data sheet

SIEF Substance Information Exchange Forum
SME Small and Medium sized Enterprises
STOT Specific Target Organ Toxicity

(STOT) RE Repeated Exposure (STOT) SE Single Exposure

SVHC Substances of Very High Concern UN - United Nations

vPvB Very Persistent and Very Bioaccumulative

List of relevant H phrases

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006

AWSP5002_8 SHIELDIT INNOVATIONS Windshield Treatment 16ml

Creation date 11th November 2021 Revision date 17th March 2023 1.0 EN Version

H336 May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure. H373

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.